
TECHNICAL DATASHEET FOR
ONE WAY INLET BREACHING




Fire Brigade Inlet One Way Inlet Breaching	
Reference Standard	IS : 904
Inlet	Male Instantaneous Inlet of 63 mm With Built in Non returnable Valve
Outlet	Flanged 80mm
Material of Construc-Θon For Body	GM As per IS 318 LTB-II
Material of Construc-Θon For Non returnable Valve	GM As per IS 318 LTB-II
Approval	-

Industrial Estate, Veera Desai Road, Andheri (W), Mumbai - 400053. Telephone : +91 22 2673 1828/ 2673 1852/ 4601 4392
WORKS: D-24/6, TTC Industrial Area, MIDC, Turbhe, Navi Mumbai - 400705. Telefax: 27634433 / 64512311/64523611.
Email : orders@intimefire.com, ho@intimefire.com **: Website:** www.intimefire.com

TECHNICAL DATASHEET FOR
ONE WAY INLET BREACHING





FLANGE DIMENSIONS**				
STD.TABLE	FALANGE Ø	P.C.D.	NO. OF HOLES	HOLE Ø
IS 1538	220	180	8	19

Note:

1) All Dimensions are in mm if not specified.

2) Tolerance where not specified shall be ±0.5 mm.

SR. NO.	DESCRIPTION
1	BODY
2	FLAT WASHER
3	MALE PARTS FOR (N.R.V. -63MM)
4	SEAT VALVE
5	SEAT WASHER
6	WASHER

SR. NO.	DESCRIPTION
7	NUT
8	SPRING
9	LOCK NUT FOR SPRING
10	BLANK CAP
11	CHAIN
12	DRAIN CAP

Industrial Estate, Veera Desai Road, Andheri (W), Mumbai - 400053. Telephone : +91 22 2673 1828/ 2673 1852/ 4601 4392
WORKS: D-24/6, TTC Industrial Area, MIDC, Turbhe, Navi Mumbai - 400705. Telefax: 27634433 / 64512311/64523611.
Email : orders@intimefire.com, ho@intimefire.com **: Website:** www.intimefire.com

TECHNICAL DATASHEET FOR ONE WAY INLET BREACHING	
DATASHEET NO. :	INTIME-TDS-09
SIZE	63mm
INLET	
Male Instantenous Inlet of 63 mm With Built in N.R.V	
MATERIAL OF CONSTRUCTION	
Body	GM to IS:318 Gr. LTB II
N.R.V. Male, Seat Valve	GM to IS:318 Gr. LTB II
Spring	IS:7608
Rubber Washer	Rubber to IS:937
INSPECTION & TESTING	
Hydro Pressure Test	21 Kgf/cm2
MARKING	
Brand Name	
Size	63mm
Year	Year of Manufacture