
TECHNICAL DATASHEET OF
WALL MOUNTED SWING TYPE HOSE REEL





Hose Reel Drum	
Size	**19mm & 25mm**
Reference Standard	**IS : 884**
Material of Constructon	**M.S. 18 SWG**
Inlet	**Threaded**
Hose	**Thermoplastc / Rubber Braided Hose Pipe As Per IS : 444 / IS : 12585 (Type I / Type II)**
Length Of Hose	**30 Mtr / 36 Mtr / 40 Mtr**
Outlet	**Shut Off Nozzle / Jet and Spray Type Nozzle**
Material of Constructon For Nozzle	**Gun Metal / Brass Jet Type Nozzle**
Approval	**BIS (ISI Marked) for Hose Reel Hose Only**


Industrial Estate, Veera Desai Road, Andheri (W), Mumbai - 400053. Telephone : +91 22 2673 1828/ 2673 1852/ 4601 4392
WORKS: D-24/6, TTC Industrial Area, MIDC, Turbhe, Navi Mumbai - 400705. Telefax: 27634433 / 64512311/64523611.
Email : orders@intimefire.com, ho@intimefire.com **: Website:** www.intimefire.com

TECHNICAL DATASHEET OF
WALL MOUNTED SWING TYPE HOSE REEL









NOTES

ALL DIMENSIONS ARE IN MM.
TOLERANCE WHERENOT SPECIFIED SHALL BE ± 10 MM.
HYDRO TEST - 21 Kg/cm2 FOR 5 MIN (FOR DRUM ONLY)
FLOW TEST - 24 LPM MIN.@ 7Kg/ cm2 , 1/PER LOT
THROW HORIZONTAL JET - 6 MTRS. MIN. @7KG/cm2
PAINTING - POWDER COATED TO P.O. RED

NO.	DESCRIPTION
1	SIDES
2	HUB
3	WALL BRACKET
4	SWIVEL JOINT
5	HOSE REEL TUBING
6	NOZZLE
7	PIPE WITH FITTING

Industrial Estate, Veera Desai Road, Andheri (W), Mumbai - 400053. Telephone : +91 22 2673 1828/ 2673 1852/ 4601 4392
WORKS: D-24/6, TTC Industrial Area, MIDC, Turbhe, Navi Mumbai - 400705. Telefax: 27634433 / 64512311/64523611.
Email : orders@intimefire.com, ho@intimefire.com **: Website:** www.intimefire.com

TECHNICAL DATASHEET OF
WALL MOUNTED SWING TYPE HOSE REEL

TECHNICAL DATA SHEET FOR HOSE REEL (WALL MOUNTING SWINGING TYPE)		
Item	**Wall Mounted Swinging Type Hose Reel**	
SR.NO.	**PARAMETERS**	**SPECIFICATIONS**
1	**General Specification**	
1.1	Manufacturer	**NEW ENGINEERING CORPORATION**
1.2	Type	Wall Mounted Swinging (180^0 Manual)
1.3	Inlet Size	3/4" BSP. (M) Threaded
1.4	Ref. Standard	IS : 884
1.5	Brand / Make	INTIME
2	**Material of construction**	
2.1	Side Reel	M.S. Sheet
2.2	Arm, Wall Mounting bracket	M.S. Sheet
2.3	Hose (20mm x 40 Mtrs. Long)	Thermoplastic, IS: 12585, Type-2
2.4	Shut Off Nozzle with shutoff cock (5mm Bore)	S.S. 304/ PVC
3	**Hydrostatic Test Pressure**	
3.1	Hose reel without Hose	21 Kg/cm2 for 5 Minutes
4	**Performance at 7 Kg/cm2**	
4.1	Flow	24 Lpm min.
4.2	Water Jet Throw	6 Mtrs.
5	**Painting**	Painted with Fire Red Shade 536 of IS:5.
6	**Marking**	Mfg. Name, Sr. No., Make, Year of Mfg., Size

Industrial Estate, Veera Desai Road, Andheri (W), Mumbai - 400053. Telephone : +91 22 2673 1828/ 2673 1852/ 4601 4392
WORKS: D-24/6, TTC Industrial Area, MIDC, Turbhe, Navi Mumbai - 400705. Telefax: 27634433 / 64512311/64523611.
Email : orders@intimefire.com, ho@intimefire.com **: Website:** www.intimefire.com